

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20030157252").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/27 07:52
L2	1	1 and confronted	US-PGPUB	OR	ON	2005/07/27 07:46
L3	1	us-20020023584-\$:did.	EPO; JPO; DERWENT	OR	OFF	2005/07/27 07:50
L4	1	("6582768").PN.	USPAT	OR	OFF	2005/07/27 07:49
L5	15	mandai.in. and shibata.in.	EPO; JPO; DERWENT	OR	OFF	2005/07/27 07:50
L6	2	(("20010002281") or ("6410094")).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/27 08:13
L7	1	"5464577".PN.	USPAT; USOCR	OR	OFF	2005/07/27 07:52
L8	1	"5425967".PN.	USPAT; USOCR	OR	OFF	2005/07/27 07:53
L9	1	"4984533".PN.	USPAT; USOCR	OR	OFF	2005/07/27 07:53
L10	2336	((427/358) or (427/356) or (118/410) or (118/411)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/27 07:54
L11	987	10 and ((slot or slit or die))	US-PGPUB; USPAT	OR	ON	2005/07/27 07:54
L12	72	11 and (height with (adjust or adjusted or adjusting))	US-PGPUB; USPAT	OR	ON	2005/07/27 07:54
L13	31	10 and ((height with (adjust or adjusted or adjusting)) same (slot or slit or die))	US-PGPUB; USPAT	OR	ON	2005/07/27 07:55
L14	1	6 or 3	USPAT	OR	OFF	2005/07/27 08:13
L15	3	(("20010002281") or ("20020023584") or ("5428967")).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/27 08:15
L16	0	15 and temperature	US-PGPUB; USPAT	OR	OFF	2005/07/27 08:14
L17	0	15 and temperature	US-PGPUB; USPAT	OR	ON	2005/07/27 08:15
L18	0	15 and water	US-PGPUB; USPAT	OR	ON	2005/07/27 08:14
L19	2	15 and (heat or heated or heating)	US-PGPUB; USPAT	OR	ON	2005/07/27 08:14
L20	1	("5425967").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/27 08:15
L21	1	20 and (heat or heated or heating or water or temperature)	US-PGPUB; USPAT	OR	ON	2005/07/27 08:20
L22	32836	(slot or slit or die) and (coat or coated or coating)	EPO; JPO; DERWENT	OR	ON	2005/07/27 08:20

L23	1425	22 and (adjust or adjusted or adjusting)	EPO; JPO; DERWENT	OR	ON	2005/07/27 08:16
L24	106	23 and (block)	EPO; JPO; DERWENT	OR	ON	2005/07/27 08:16
L25	208	23 and (block or lip or land)	EPO; JPO; DERWENT	OR	ON	2005/07/27 08:16
L26	34	25 and (heat or heated or heating or water or temperature)	EPO; JPO; DERWENT	OR	ON	2005/07/27 08:16
L27	58404	(slot or slit or die) same (coat or coated or coating)	US-PGPUB; USPAT	OR	ON	2005/07/27 08:20
L28	1599	27 and ((heat or heated or heating or water or temperature) same (die or lip or land) same (adjust or adjusted or adjusting))	US-PGPUB; USPAT	OR	ON	2005/07/27 08:21
L29	73	27 and ((heat or heated or heating or water or temperature) same (die or lip or land) same (adjust or adjusted or adjusting) same height)	US-PGPUB; USPAT	OR	ON	2005/07/27 08:23
L30	145	27 and ((heat or heated or heating or water or temperature) same (die or lip or land) same (position or positioning or positioned) same height)	US-PGPUB; USPAT	OR	ON	2005/07/27 08:23
L31	936	27 and ((heat or heated or heating or water or temperature) with (die or lip or land) with (position or positioning or positioned))	US-PGPUB; USPAT	OR	ON	2005/07/27 08:23
L32	4	27 and ((heat or heated or heating or water or temperature) with (die or lip or land) with (position or positioning or positioned) with height)	US-PGPUB; USPAT	OR	ON	2005/07/27 08:24
L33	3	27 and ((heat or heated or heating or water or temperature) with (die or lip or land) with (construct or construction or constructing) with height)	US-PGPUB; USPAT	OR	ON	2005/07/27 08:25
L34	264	((temperature) with (die or lip or land) with (construct or construction or constructing))	US-PGPUB; USPAT	OR	ON	2005/07/27 08:26
L35	8	34 with (slot or slit)	US-PGPUB; USPAT	OR	ON	2005/07/27 08:25
L36	42	((temperature) with (die or lip or land) with (construct or construction or constructing))	EPO; JPO; DERWENT	OR	ON	2005/07/27 08:26
L37	2	36 and (slot or slit)	EPO; JPO; DERWENT	OR	ON	2005/07/27 08:26

L38	212	fuji and ((slot or slit or die) with temperature)	EPO; JPO; DERWENT	OR	ON	2005/07/27 08:27
L39	46	38 and (adjust or adjusting or adjusted or construct or construction or constructing or position or positioning or positioned or bolt or screw or fix or fixed or fixing)	EPO; JPO; DERWENT	OR	ON	2005/07/27 08:27